



WATCHMAN

PUSH FORWARD TO THE FUTURE OF LAAC. CONFIDENTLY.



LEVERAGING THE EXPERIENCE OF A CLINICALLY PROVEN PLATFORM...

WATCHMAN™ Left Atrial Appendage Closure device: a unique design with proven results for stroke risk reduction in patients with AF



> 80,000 patients treated



>6,800 patients studied in clinical trials



>11,000 patient-years follow-up



GLOBAL reach

...TO PUSH FORWARD TO THE FUTURE OF LAAC. CONFIDENTLY.

THE FEEL.

Full control for an intuitive, safe and precise positioning

THE SEAL.

Enhanced conformability for confident closure

THE HEAL.

Minimal metal exposure for optimized healing





THE FEEL.


Full control for an intuitive, safe and precise positioning

Soft, closed, atraumatic distal end with fluoroscopic marker to enable advancement within the LAA when partially deployed.

100% recapturable and repositionable.

Short device length eases deployment in shallow appendages.





THE SEAL.

Enhanced conformability for confident closure

The 18 struts Nitinol frame conforms to even challenging LAA anatomies providing optimal apposition of the PET fabric to the LAA, minimizing the risk of peri-device leaks.

The 18 anchors staggered in two rows ensure confident stability in the LAA.





THE HEAL.

Minimal metal exposure for optimized healing

WATCHMAN FLX features a threaded insert with reduced metal exposure, promoting device endothelialization. The PET fabric is designed to enhance healing.

Unique and proven intra-LAA design to close the left atrial appendage without compromising surrounding structures such as mitral valve or upper pulmonary vein.




FLEXIBILITY TO EXPAND TREATMENT OPTIONS

The WATCHMAN FLX™ Device comes in five sizes and can treat ostia from 14 mm to 31.5 mm.



Compression **range from 10 % to 30 %** allows for flexibility in device selection to adapt to LAA width and length.



OSTIUM DIAMETER (mm)

ORDERING INFORMATION

	Ref/Catalog number	Product Description	Size	Order Number (GTIN)	ID	OD
WATCHMAN FLX" LAAC DEVICE	M635WS50200	WATCHMAN FLX™ LAAC Device and Delivery System	20 mm	08714729860433	_	12 F (4.0 mm)
	M635WS50240	WATCHMAN FLX™ LAAC Device and Delivery System	24 mm	08714729860440	-	12 F (4.0 mm)
	M635WS50270	WATCHMAN FLX™ LAAC Device and Delivery System	27 mm	08714729860457	_	12 F (4.0 mm)
	M635WS50310	WATCHMAN FLX™ LAAC Device and Delivery System	31 mm	08714729860464	_	12 F (4.0 mm)
	M635WS50350	WATCHMAN FLX™ LAAC Device and Delivery System	35 mm	08714729860471	-	12 F (4.0 mm)
	Ref/Catalog number	Product Description	Curve	Order Number (GTIN)	ID	OD
WATCHMAN" TruSeal" Access Sheath	M635TS70010	WATCHMAN™ TruSeal™ Access System	Single	08714729965732	12 F (4.2 mm)	14 F (4.8 mm)
	M635TS70020	WATCHMAN™ TruSeal™ Access System	Double	08714729965749	12 F (4.2 mm)	14 F (4.8 mm)
	M635TS70040	WATCHMAN™ TruSeal™ Access System	Anterior	08714729965756	12 F (4.2 mm)	14 F (4.8 mm)

WATCHMAN FLX IS PRELOADED INTO THE DELIVERY CATHETER THUS REDUCING THE PREPARATION TIME

Magnetic Resonance Imaging

Non-clinical testing has demonstrated the WATCHMAN FLX Device is MR Conditional. A patient with the Closure Device can be scanned safely, immediately after placement of this implant, under the following conditions:

- Static magnetic fields of 3.0 Tesla or 1.5 Tesla
- Spatial gradient field of 2500 Gauss/cm or less
- Spatial gradient field product of 37 T²/m or less
- The maximum whole body averaged specific absorption rate (SAR) shall be limited to 2.0 W/kg (normal operating mode only) for 15 minutes of continuous application of RF energy during a scan
- Normal operating mode of the MRI scanner



www.bostonscientific.eu

© 2019 Boston Scientific Corporation or its affiliates. All rights reserved. DINSH0220EA

All cited trademarks are the property of their respective owners. CAUTION: The law restricts these devices to sale by or on the order of a physician. Indications, contraindications, warnings and instructions for use can be found in the product labelling supplied with each device. Information for the use only in countries with applicable health authority product registrations. Materials not intended for use in France.